

ORDER NO: 4240192 RELEASE NO: 001 MSDS NO: 005309

BARNES DISTRIBUTION

Synonyms: BD1019 BD1019-1
MATERIAL SAFETY DATA SHEET

QUICK IDENTIFIER (IN PLANT COMMON NAME): BARNES BRAKE CLEANER

MANUFACTURER INFORMATION:

MANUFACTURER'S NAME: SPRAY PRODUCTS CORPORATION

ADDRESS:
P.O. BOX 737
NORRISTOWN, PA 19404

EMERGENCY TELEPHONE NUMBER:
CHEMTREC: 1-800-424-9300

GENERAL INFORMATION TELEPHONE NUMBER: 1-610-277-1010

DATE PREPARED: April 6, 2010

-----SECTION 1 - IDENTITY -----

COMMON NAME (USED ON LABEL)(TRADE NAME & SYNONYMS):
BARNES BRAKE CLEANER BD1019

CAS. NUMBER: SEE SECTION 2

CHEMICAL NAME: AEROSOL SOLVENT CLEANER

CHEMICAL FAMILY: ORGANIC SOLVENTS

FORMULA: N/A

-----SECTION 2 - HAZARDOUS INGREDIENTS -----

PRINCIPAL HAZARDOUS COMPONENT(S):

CHEMICAL AND COMMON NAME(S)	CAS #	WT%
ACETONE	67-64-1	50
XYLENE**	1330-20-7	34
HEPTANE	142-82-5	10
CARBON DIOXIDE	124-38-9	6

CHEMICAL AND COMMON NAME(S)	OSHA PEL	ACGIH TLV	VAPOR PRESS @ 25 DEG. C	LEL	UEL	FLASH POINT DEG. F
--------------------------------	----------	-----------	-------------------------------	-----	-----	-----------------------

	B A R N E S D I S T R I B U T I O N					
	750 PPM	750 PPM	185 MMHg	2.6	12.8	-4(TCC)
ACETONE	750 PPM	750 PPM	185 MMHg	2.6	12.8	-4(TCC)
XYLENE**	100 PPM	100 PPM	10 MMHg	1.0	7.0	80(TCC)
HEPTANE	400 PPM	400 PPM	45 MMHg	1.2	6.7	<20(TCC)
CARBON DIOXIDE	5000 PPM	N/A	1 ATM.	NONE	NONE	

****NOTE:**

THIS PRODUCT CONTAINS INGREDIENTS SUBJECT TO SECTION 313 OF SARA TITLE III.

N/A IS NOT AVAILABLE OR NOT APPLICABLE

γ -----SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS -----

(FIRE & EXPLOSION DATA)

BOILING POINT (DEG. F):

CONCENTRATE RANGE: 132 - 300

PROPELLANT: -16.0

SPECIFIC GRAVITY (WATER = 1):

CONCENTRATE: 0.80

PROPELLANT: 0.50

☾ VAPOR PRESSURE (MMHg): SEE SECTION 2

PERCENT VOLATILE BY WEIGHT (%): 100%

PERCENT VOLATILE ORGANIC COMPOUNDS: LESS THAN 45%

VAPOR DENSITY (AIR = 1): >1

EVAPORATION RATE (BA = 1): >1

SOLUBILITY IN WATER: SLIGHT

REACTIVITY IN WATER: NONE

APPEARANCE AND ODOR:

CONCENTRATE: LIQUID WITH CHARACTERISTIC ODOR

PROPELLANT: COLORLESS, ODORLESS GAS

FINISHED PACKAGE: PRESSURIZED CONTAINERS.

FLASH POINT: SEE SECTION 2

FLAMMABLE LIMITS IN AIR - % BY VOLUME: SEE SECTION 2

EXTINGUISHER MEDIA: CARBON DIOXIDE, FOAM, DRY CHEMICAL

☾ AUTO-IGNITION TEMPERATURE: UNKNOWN

BARNES DISTRIBUTION

SPECIAL FIRE FIGHTING PROCEDURES:

WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE BURSTING WHEN EXPOSED TO HIGH TEMPERATURES. FIREMEN SHOULD WEAR SELF-CONTAINED RESPIRATORY EQUIPMENT.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE. DO NOT USE OR STORE NEAR HEAT OR IGNITION SOURCES. CONTAINERS MAY BURST AT TEMPERATURES ABOVE 130 DEG. F.

-----SECTION 4 - PHYSICAL HAZARDS -----

STABILITY: STABLE

CONDITIONS TO AVOID: AVOID ANY IGNITION SOURCES. AVOID EXCESSIVE HEAT.

INCOMPATIBILITY (MATERIALS TO AVOID):

NITRIC PLUS ACETIC ACIDS, NITRIC PLUS SULFURIC ACID, AMINES, STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

CONDITIONS TO AVOID: NOT APPLICABLE.

-----SECTION 5 - HEALTH HAZARDS -----

THRESHOLD LIMIT VALUE: SEE SECTION 2

SIGNS AND SYMPTOMS OF EXPOSURE:

EYE CONTACT:

MAY CAUSE MODERATE EYE IRRITATION AND MODERATE CORNEAL INJURY. VAPORS MAY IRRITATE EYES

SKIN CONTACT: PROLONGED CONTACT MAY CAUSE IRRITATION, DEFATTING OF SKIN

INHALATION:

MAY CAUSE NOSE AND THROAT IRRITATION. MAY CAUSE NERVOUS SYSTEM DEPRESSION CHARACTERIZED BY THE FOLLOWING PROGRESSIVE STEPS:
HEADACHE, DIZZINESS, NAUSEA, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS.
REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE

INGESTION:

IF ASPIRATED (LIQUID ENTERS THE LUNGS), IT MAY BE RAPIDLY ABSORBED THROUGH THE LUNGS AND RESULT IN INJURY TO OTHER BODY SYSTEMS. GASTRO-INTESTINAL DISTRESS.

IMPORTANT NOTE:

REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS MAY LEAD TO PERMANENT BRAIN

BARNES DISTRIBUTION

AND NERVOUS SYSTEM DAMAGE. EYE WATERING, HEADACHES, NAUSEA, DIZZINESS AND LOSS OF COORDINATION ARE SIGNS THAT SOLVENT LEVELS ARE TOO HIGH. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:

NATIONAL TOXICOLOGY PROGRAM: NO

I.A.R.C. MONOGRAPHS: NO

OSHA: NO

OSHA PERMISSIBLE EXPOSURE LIMIT: SEE SECTION 2

ACGIH THRESHOLD LIMIT VALUE: SEE SECTION 2

OTHER EXPOSURE LIMIT USED: NONE

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION:

REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE MOUTH-TO-MOUTH. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

EYES:

FLUSH WITH FLOWING WATER IMMEDIATELY AND CONTINUOUSLY FOR 15 MINUTES.

CONSULT MEDICAL PERSONNEL.

SKIN:

WASH OFF IN FLOWING WATER OR SHOWER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. IF IRRITATION PERSISTS, CALL A PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.

-----SECTION 6 - SPECIAL PROTECTION INFORMATION -----

RESPIRATORY PROTECTION:

NIOSH OR BUREAU OF MINES APPROVED ORGANIC VAPOR-TYPE RESPIRATOR IS REQUIRED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL.

VENTILATION:

LOCAL EXHAUST: TO KEEP BELOW TLV

MECHANICAL (GENERAL): TO KEEP BELOW TLV

SPECIAL: NONE

OTHER: NONE

PROTECTIVE GLOVES: SOLVENT RESISTANT GLOVES - IMPERVIOUS GLOVES

EYE PROTECTION: SAFETY GLASSES OR GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE REASONABLY FORESEEABLE.

-----SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES -----

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

DO NOT STORE ABOVE 120 DEG. F. AVOID BREATHING VAPORS. AVOID PROLONGED OR

BARNES DISTRIBUTION

REPEATED CONTACT WITH SKIN.

OTHER PRECAUTIONS:

EXTREMELY FLAMMABLE. DO NOT USE OR STORE NEAR OPEN FLAMES, HEAT, OR ANY SOURCES OF IGNITION. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. VAPORS ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

SMALL SPILLS:

REMOVE IGNITION SOURCES. MOP UP, WIPE UP, OR SOAK UP IMMEDIATELY. USE PROPER PROTECTIVE EQUIPMENT.

LARGE SPILLS:

EVACUATE AREA. REMOVE IGNITION SOURCES. CONTAIN LIQUID; TRANSFER TO CLOSED CONTAINERS; KEEP OUT OF WATER SUPPLIES.

WASTE DISPOSAL METHODS:

DISPOSE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. DO NOT INCINERATE CLOSED OR EMPTY CONTAINERS.

-----SECTION 8 - NFPA HAZARD RATINGS -----

HEALTH 2
FLAMMABILITY 4
REACTIVITY 0

-----SECTION 9 - OTHER INFORMATION -----

TRANSPORTATION INFORMATION - DOMESTIC GROUND:

SHIPPING NAME: CONSUMER COMMODITY

HAZARD CLASS: ORM-D

UN NUMBER: N/A

PACKING GROUP: N/A

HAZARD LABEL: NONE

CARTON MARKING: CONSUMER COMMODITY, ORM-D

DISCLAIMER:

SPRAY PRODUCTS CORPORATION BELIEVES THAT THE INFORMATION CONTAINED HEREIN IS ACCURATE AND RELIABLE AS OF THE DATE OF THIS MATERIAL SAFETY DATA SHEET, BUT NO REPRESENTATION GUARANTEE OR WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION. PERSONS RECEIVING THIS INFORMATION ARE ENCOURAGED TO MAKE THEIR OWN DETERMINATION AS TO THE INFORMATION'S SUITABILITY AND COMPLETENESS FOR THEIR PARTICULAR APPLICATION. NO INFORMATION CONTAINED HEREIN CONSTITUTES A PRODUCT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED; AND ALL IMPLIED WARRANTIES OF MERCHANT ABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY SPRAY PRODUCTS CORPORATION.