

ORDER NO: 4900260 RELEASE NO: 002 MSDS NO: 024383

BARNES DISTRIBUTION

Synonyms: UNHWPAD UNHWROLL UNLWPAD

S
SPILLTECH

SPILLTECH
5440 MCGINNIS VILLAGE PLACE
SUITE 102
ALPHARETTA, GA 30005

PHONE: 1-800-228-3877

FAX: 1-800-872-3764

WWW.SPILLTECH.COM

MATERIAL SAFETY DATA SHEET

-----SECTION I: IDENTIFICATION OF PRODUCT -----

PRODUCT NAME: GRAY UNIVERSAL SONICBONDED SORBENTS

CHEMICAL FAMILY: OLEFIN

MANUFACTURER'S NAME: SPILLTECH

MANUFACTURING LOCATION:
SPILLTECH
BROOKLEY INDUSTRIAL COMPLEX
1627 O'DONOGHUE STREET
MOBILE, AL 36615

CUSTOMER SERVICE TELEPHONE NUMBER: 1-800-228-3877

TECHNICAL INFORMATION TELEPHONE NUMBER: 1-251-694-0102 EXT.121

-----SECTION II: HAZARDOUS INGREDIENTS -----

INGREDIENTS	PERCENT	CAS NUMBER	OSHA PEL	ACGIH TLV
POLYPROPYLENE	98.3%	9003-07-0	N/A	N/A
SURFACTANT	1.4%	N/A	N/A	N/A
GRAY PIGMENT	0.3%	N/A	N/A	N/A
(CARBON BLACK)	23.5%	1333-86-4	3.5 MG/M3	3.5 MG/M3
(POLYPROPYLENE)	76.5%	9003-07-0	N/A	N/A

NOTE: SUB-INGREDIENTS OF MAIN INGREDIENT ARE IN PARENTHESES

B A R N E S D I S T R I B U T I O N

-----SECTION III: HAZARDS IDENTIFICATION -----

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATING:

HEALTH 0
FLAMMABILITY 1
REACTIVITY 0

*NOT CONSIDERED A HAZARDOUS MATERIAL AT TEMPERATURES BELOW MELTING POINT. NOT CONSIDERED A CONTROLLED SUBSTANCE OR A CARCINOGEN.

-----SECTION IV: FIRST AID MEASURES -----

EYE CONTACT:

USE EYEWASH, CONSULT PHYSICIAN IF ACCOMPANIED BY PAIN OR IRRITATION.

SKIN CONTACT: N/A

INHALATION: N/A

INGESTION: N/A

-----SECTION V: FIRE FIGHTING MEASURES -----

FLASH POINT: 329 DEG. C (625 DEG. F)

AUTO IGNITION: 357 DEG. C (675 DEG. F)

FLAMMABLE LIMITS: N/A

FIRE EXTINGUISHING MEDIA: WATER, FOAM, CO2, DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: STANDARD PROCEDURES FOR CLASS A FIRES

UNUSUAL FIRE AND EXPLOSION HAZARDS:

SOME CARBON MONOXIDE FORMATION IS POSSIBLE UNDER OXYGEN-LEAN CONDITIONS. MATTING WILL NOT SUPPORT COMBUSTION. SORBENTS WILL TAKE ON THE CHARACTERISTICS/PROPERTIES OF WHATEVER LIQUID IS ABSORBED. THEREFORE, ALL MEASURES MUST BE TAKEN AS IF YOU WERE HANDLING THE LIQUID ITSELF. SORBENTS DO NOT MAKE THE LIQUID LESS HAZARDOUS. ALWAYS REFER TO THE MSDS FOR THE CHEMICAL ABSORBED BEFORE PROCEEDING

-----SECTION VI: ACCIDENTAL RELEASE MEASURES -----

NO SPECIAL STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED.

-----SECTION VII: HANDLING AND STORAGE -----

STORE IN DRY AREA. DO NOT STORE NEAR OPEN FLAME, HIGH HEAT, STRONG OXIDANTS, OR

ORDER NO: 4900260 RELEASE NO: 002 MSDS NO: 024383

B A R N E S D I S T R I B U T I O N

HALOGENATED HYDROCARBONS. POLYPROPYLENE, WHEN HEATED, BECOMES VERY STICKY AND WILL BURN. USE SELF-CONTAINED AIR MASKS TO ENTER SMOKY AREA IN THE EVENT OF FIRE. ADEQUATE VENTILATION IS REQUIRED TO REMOVE DECOMPOSITION PRODUCTS WHEN TEMPERATURE EXCEEDS MELTING POINT. AVOID CONTACT WITH MELTED PRODUCT.

SORBENTS WILL TAKE ON THE CHARACTERISTICS/PROPERTIES OF WHATEVER LIQUID IS ABSORBED. THEREFORE, ALL MEASURES MUST BE TAKEN AS IF YOU WERE HANDLING THE LIQUID ITSELF. SORBENTS DO NOT MAKE THE LIQUID LESS HAZARDOUS. ALWAYS REFER TO THE MSDS FOR THE CHEMICAL ABSORBED BEFORE PROCEEDING

-----SECTION VIII: EXPOSURE CONTROLS/ PERSONAL PROTECTION EQUIPMENT -----

RESPIRATORY PROTECTION: NONE REQUIRED

VENTILATION: NONE REQUIRED

PROTECTIVE GLOVES: NONE REQUIRED

EYE PROTECTION:

SAFETY GLASSES WITH SIDE SHIELDS ARE RECOMMENDED AS A GOOD PRACTICE FOR INDUSTRIAL SAFETY.

OTHER PROTECTIVE EQUIPMENT (SPECIFY): NONE REQUIRED

-----SECTION IX: PHYSICAL DATA -----

APPEARANCE AND ODOR: GRAY & VIRTUALLY ODOR FREE

SPECIFIC GRAVITY: 0.88 - 0.92

BOILING POINT (C): NOT APPLICABLE

MELTING POINT (C): >160 DEG. C (320 DEG. F)

SOLUBILITY IN WATER: INSOLUBLE

PERCENT VOLATILE BY VOLUME: N/A

EVAPORATION RATE: N/A

VAPOR PRESSURE (MMHg): N/A

VAPOR DENSITY (AIR = 1): N/A

-----SECTION X: TRANSPORT INFORMATION -----

DOT CLASSIFICATION: NON HAZARDOUS

-----SECTION XI: WASTE XI DISPOSAL METHOD -----

ORDER NO: 4900260 RELEASE NO: 002 MSDS NO: 024383

B A R N E S D I S T R I B U T I O N

DISPOSAL MUST BE DONE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS
BASED ON CHEMICALS ADSORBED BY PRODUCTS.

SORBENTS WILL TAKE ON THE CHARACTERISTICS/PROPERTIES OF WHATEVER LIQUID IS
ABSORBED. THEREFORE, ALL MEASURES MUST BE TAKEN AS IF YOU WERE HANDLING THE
LIQUID ITSELF. SORBENTS DO NOT MAKE THE LIQUID LESS HAZARDOUS. ALWAYS REFER TO
THE MSDS FOR THE CHEMICAL ABSORBED BEFORE PROCEEDING

-----SECTION XII: PREPARATION -----

THE INFORMATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH, BUT NO WARRANTY,
EXPRESSED OR IMPLIED, IS MADE.

DATE ISSUED: APRIL 29, 2002

REVIEWED & UPDATED: FEBRUARY 2011

PREPARED BY: SPILLTECH

TELEPHONE NUMBER: 1-800-228-3877.

GRAY UNIVERSAL SONICBONDED SORBENTS

ORM-D