

SAFETY DATA SHEET

Issue Date 31-Dec-2014

Revision Date 31-Dec-2014

Version 1

A STATE OF THE PROPERTY OF THE

Product Identifier

Product Name

Calci-Solve

Other means of identification

Product Code Synonyms 4134-01, 4134-08, 4134-24

None

Details of the supplier of the safety data sheet

Company Name

Nu-Calgon 2008 Altom Court St. Louis, MO 63146 (800) 554-5449

http://www.nucalgon.com/

Emergency telephone number

Emergency Telephone

Chemtrec 1-800-424-9300

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4	
Acute toxicity - Dermal	Not classified	
Acute toxicity - Inhalation (Gases)	Category 3	
Acute toxicity - Inhalation (Dusts/Mists)	Category 4	
Skin corrosion/irritation	Category 1 Sub-category B	
Serious eye damage/eye Irritation	Category 1	
Specific target organ toxicity (single exposure)	Category 3	

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed

Toxic if inhaled

Causes severe skin burns and eye damage

May cause respiratory irritation. May cause drowsiness or dizziness



Appearance Clear Light Red/Orange

Physical state Liquid

Odor Acidic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

NAME AND THE PARTY OF THE PROPERTY OF THE PROPERTY OF THE PARTY OF THE

Chemical Name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	40-70	•
Hydrochloric Acid	7647-01-0	15-40	•
PROPRIETARY	Proprietary	.1-1	
Propargyl Alcohol	107-19-7	<0.1	•

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

ACCURATION OF THE PROPERTY OF

First ald measures

General advice

Immediate medical attention is required.

Revision Date 31-Dec-2014

4134-08 Calci-Solve

Skin Contact Immediately flush skin with plenty of water for at least 15 (30 or 60) minutes. Remove

contaminated clothing and shoes. Wash contaminated clothing before reuse. Immediate

medical attention is required.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Immediate medical attention is required.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or dothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional Important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any Immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

Sultable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsultable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective pear.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Control parameters

Exposure Guidelines

EXPOSUIO GUIGOIIIIOS	· · · · · · · · · · · · · · · · · · ·		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric Acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m³ Ceiling: 5 ppm Ceiling: 7 mg/m³	IDLH: 50 ppm Celling: 5 ppm Celling: 7 mg/m³
Propargyl Alcohol 107-19-7	TWA: 1 ppm S*	(vacated) TWA: 1 ppm (vacated) TWA: 2 mg/m³ (vacated) S*	TWA: 1 ppm TWA: 2 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield.

Skin and body protection

Wear Impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

4134-08 Calci-Solve

Respiratory protection If exposure limits are exceeded or initiation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Keep away from food, drink and animal feeding

stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable

gloves and eye/face protection.

Information on basic physical and chemical properties

Liquid

None

39 mm Hg

Physical state

Appearance Clear Light Red/Orange
Color Light Red/Orange

Odor Acidic

Odor threshold No Information available

Property Values Remarks • Method

No Information available

pH <1 Specific Gravity 1.16

Viscosity < 25 cP @ 25°C

Melting point/freezing point No Information available

Flash point

Boiling point / boiling range Est 180 °F

Evaporation rate

Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limit: No Information available Lower flammability limit: No Information available

Vapor pressure

Vapor density No Information available

Water solubility Complete

Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available

Other Information

Density Lbs/Gal 9.66 VOC Content (%) < 0.1%

Reactivity
No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

4134-08 Calci-Solve

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Information on likely routes of exposure

Product Information

The primary effects and toxicity of this material are due to it corrosive nature.

Inhalation

Toxic by Inhalation. Breathing of vapor can cause respiratory irritation and inflammation.

Breathing of mist or liquid can cause burns to the respiratory tract.

Eye contact

Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact

Corrosive. Contact with skin may cause severe irritation and burns.

Ingestion

Toxic if swallowed. Ingestion causes acute irritation and burns to the mucous membranes

of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermai LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Yes	Yes
-tydrochloric Acid 7647-01-0	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h
PROPRIETARY	> 2000 mg/kg (Rat)	50 mg/kg (Rabbit)	Yes
Propargyt Alcohol 107-19-7	= 20 mg/kg (Rat)	= 16 mg/kg (Rabbit)	= 1040 ppm (Rat) 1 h

Information on toxicological effects

Symptoms

No Information available.

Delayed and Immediate effects as well as chronic effects from short and long-term exposure

Sensitization

May cause sensitization by skin contact.

Germ cell mutagenicity

No Information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric Acid	Yes	Group 3	Yes	Yes
7647-01-0				

LARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity

No Information available.

STOT - single exposure

No Information available.

STOT - repeated exposure

No Information available.

Chronic toxicity

Chronic exposure to corrosive furnes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial imitation with chronic cough and frequent attacks of pneumonia are

common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of Irreversible effects.

Target organ effects

EYES, Respiratory system, Skin.

Aspiration hazard

No Information available.

Numerical measures of toxicity - Product Information

Revision Date 31-Dec-2014

4134-08 Calci-Solve

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

Ecotoxicity

0.414% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chomical Name	Algae/aquatic plants	Fish	Crustacea
Hydrochioric Acid	Yes	282: 96 h Gambusia affinis mg/L	Yes
7647-01-0		LC50 static	
Propargyl Alcohol	Yes	1.49 - 1.56: 96 h Pimephales	32: 24 h Daphnia magna mg/L
107-19-7	l	promelas mg/L LC50 flow-through	EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

Chemical Namo	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastos	RCRA - U Series Wastes
Propargyi Alcohol	P102	Yes	Yes	Yes
107-19-7				

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Sorios Wastes
Propargyl Alcohol	Y05	P102	Yes	Yes

AND THE REPORT OF THE PROPERTY OF THE PROPERTY

This corrosive material, as per 49 CFR §173.154 and when the product meets the packaging requirements of 49 CFR §173.154 (b)(2) [inner packagings not over 5.0 L (1.3 gallons) net capacity each for liquid] is excepted from labeling and placarding requirements so long as the material is not offered for transport by aircraft

DOT

Regulated

UN/ID No.

UN 1789

Proper shipping name

Hydrochloric acid

Hazard Class

8

Packing Group

"

Special Provisions
Description

A3, A6, B3, B15,I B2, N41, T8, TP1 UN1789, Hydrochloric acid solution, 8, II

Emergency Response Guide

157

Number

10

TDG

4134-08 Calci-Solve

UN/ID No.

UN1789

Proper shipping name

Hydrochloric acid

Hazard Class

8

Packing Group

ĬI.

Description

UN1789, Hydrochloric acid solution, 8, II

International Inventories

TSCA

Complies

DSL/NDSL

Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Namo	SARA 313 - Threshold Values %
Hydrochloric Acid - 7647-01-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric Acid 7647-01-0	5000 lb	Yes	Yes	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

lazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
5000 lb	5000 lb	RQ 5000 lb final RQ
		RQ 2270 kg final RQ
1000 lb	Yes	RQ 1000 lb final RQ
1000.0		RQ 454 kg final RQ
	faxardous Substances RQs 5000 lb 1000 lb	5000 lb 5000 lb

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrochloric Acid 7647-01-0	х	Х	X
Propargyl Alcohol 107-19-7	x	X	X

Revision Date 31-Dec-2014

4134-08 Calci-Solve

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

NEPA.

Health hazards 3

Flammability 0

Instability 0

Physical and Chemical

Health hazards 3 <u>HMIS</u>

Flammability 0

Physical hazards 0

Properties Yes Personal protection D

Issue Date

31-Dec-2014

Revision Date

31-Dec-2014

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet